L Number	Hits	Search Text	DB	Time stamp
-	188	handle near4 password	USPAT;	2004/11/01
			US-PGPUB;	15:57
			EPO; DERWENT;	
			IBM TDB	
-	10261	physical near4 virtual	USPAT;	2004/11/02
			US-PGPUB;	10:30
			EPO;	
		·	DERWENT; IBM TDB	
-	6	(handle near4 password) and (physical	USPAT;	2004/11/01
		near4 virtual)	US-PGPUB;	15:57
			EPO;	
			DERWENT; IBM TDB	
_	449	memory adj handle	USPAT;	2004/11/01
			US-PGPUB;	15:57
			EPO;	
			DERWENT; IBM TDB	
-	2	(memory adj handle) same password	USPAT;	2004/11/01
			US-PGPUB;	15:57
			EPO;	
			DERWENT; IBM TDB	
_	370	handle with password	USPAT;	2004/11/01
		•	US-PGPUB;	15:58
			EPO;	
			DERWENT; IBM TDB	
-	14	(handle with password) and (physical	USPAT;	2004/11/01
		near4 virtual)	US-PGPUB;	15:58
			EPO;	
			DERWENT; IBM TDB	
_	1114	(channel path line route connect\$3) near4	USPAT;	2004/11/02
		(id identi\$8 name address) near4	US-PGPUB;	10:45
		(password ((secret access) adj code))	EPO;	
			DERWENT; IBM TDB	
_	6878	map\$4 with (virtual logical) with	USPAT;	2004/11/03
		(interface devices physical)	US-PGPUB;	10:38
			EPO;	.
			DERWENT; IBM TDB	
-	1043	(map\$4 with (virtual logical) with	USPAT;	2004/11/02
		(interface devices physical)) and map\$3	US-PGPUB;	11:33
		with process	EPO; DERWENT;	
			IBM TDB	
-	2	((map\$4 with (virtual logical) with	USPĀT;	2004/11/02
		(interface devices physical)) and map\$3	US-PGPUB;	10:47
		<pre>with process) and ((channel path line route connect\$3) near4 (id identi\$8 name</pre>	EPO; DERWENT;	
		address) near4 (password ((secret access)	IBM TDB	
		adj code)))	_	
_	263	(map\$4 with (virtual logical) with	USPAT;	2004/11/02
		<pre>(interface devices physical)) and map\$3 with process with (access\$3 read\$3 writ\$3</pre>	US-PGPUB; EPO;	11:36
		obtain\$3 enter\$3)	DERWENT;	
		·	IBM_TDB	
-	98931	process near3 (id identi\$8 name address	USPAT;	2004/11/02
		pointer handle)	US-PGPUB; EPO;	11:38
			DERWENT;	
			IBM_TDB	

-	192	1 1 2 .	USPAT;	2004/11/02
		(interface devices physical)) and map\$3	US-PGPUB;	12:18
		with process with (access\$3 read\$3 writ\$3	EPO;	
		obtain\$3 enter\$3)) and (process near3 (id	DERWENT;	
		identi\$8 name address pointer handle))	IBM_TDB	2004/11/02
-	2	(((map\$4 with (virtual logical) with	USPAT;	2004/11/02
		(interface devices physical)) and map\$3	US-PGPUB;	11:38
		with process with (access\$3 read\$3 writ\$3	EPO; DERWENT;	
		obtain\$3 enter\$3)) and (process near3 (id identi\$8 name address pointer handle)))		
		and process near5 (password ((secret	IBM_TDB	
		access) adj code))		
_	14387	713/200-202.ccls. 345/568.ccls.	USPAT;	2004/11/03
	14307	711/202-203,205-208.ccls.	US-PGPUB;	10:49
		379/221.15.ccls. 370/397,399.ccls.	EPO;	10.45
		709/225,227,249,250.ccls.	DERWENT;	
		7037223722772437230.0013.	IBM TDB	
	74	(((map\$4 with (virtual logical) with	USPAT;	2004/11/03
	'	(interface devices physical)) and map\$3	US-PGPUB;	09:50
		with process with (access\$3 read\$3 writ\$3	EPO;	
		obtain\$3 enter\$3)) and (process near3 (id	DERWENT;	
		identi\$8 name address pointer handle)))	IBM TDB	
		and (713/200-202.ccls. 345/568.ccls.		
		711/202-203,205-208.ccls.		
		379/221.15.ccls. 370/397,399.ccls.		
		709/225,227,249,250.ccls.)		
_	21		USPAT;	2004/11/03
		near5 thread	US-PGPUB;	11:11
			EPO;	
			DERWENT;	
			IBM TDB	
[<u>_</u>	9295	(password ((secret access) adj code))	USPĀT;	2004/11/03
		near5 (process thread program routine	US-PGPUB;	11:15
]	sub\$1routine procedure function)	EPO;	
		bus, irodorno proceduro rancoron,	DERWENT;	
			IBM TDB	
l _	6879	map\$4 with (virtual logical) with	USPĀT;	2004/11/03
		(interface devices physical)	US-PGPUB;	11:15
		(EPO;	
			DERWENT;	
			IBM TDB	
_	18256	713/200-202.ccls. 345/568.ccls.	USPAT;	2004/11/03
		711/202-203,205-208.ccls.	US-PGPUB;	12:11
	İ	379/221.15.ccls. 370/397,399.ccls.	EPO;	
		709/225,227,249,250.ccls.	DERWENT;	
		718/1,100,101,106.ccls. 719/311-313.ccls.	IBM_TDB	
		710/36,107,109,220.ccls.		
_	2922	(map\$4 with (virtual logical) with	USPAT;	2004/11/03
		(interface devices physical)) same	US-PGPUB;	11:04
		(process thread program routine	EPO;	
		sub\$1routine procedure function)	DERWENT;	
			IBM TDB	
-	1493	(map\$4 with (virtual logical) with	USPAT;	2004/11/03
		(interface devices physical)) with	US-PGPUB;	11:16
		(process thread program routine	EPO;	
		sub\$1routine procedure function)	DERWENT;	
		-	IBM_TDB	
-	314779	(id identi\$8 name address) near5 (process	USPĀT;	2004/11/03
		thread program routine sub\$1routine	US-PGPUB;	11:16
	,	procedure function)	EPO;	
			DERWENT;	
			IBM_TDB	
-	1134	((map\$4 with (virtual logical) with	USPAT;	2004/11/03
		(interface devices physical)) with	US-PGPUB;	11:06
		(process thread program routine	EPO;	
		sub\$1routine procedure function)) and	DERWENT;	
		((id identi\$8 name address) near5	IBM_TDB	
		(process thread program routine	_	
	Ì	<pre>sub\$1routine procedure function))</pre>		1

				T = 2 = 1 /2 = 1 = = = = = = = = = = = = = = = = =
-	316348	<pre>(pid id identi\$8 name address) near5 (process thread program routine sub\$1routine procedure function)</pre>	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/11/03
-	1135	<pre>((pid id identi\$8 name address) near5 (process thread program routine sub\$1routine procedure function)) and ((map\$4 with (virtual logical) with (interface devices physical)) with (process thread program routine sub\$1routine procedure function))</pre>	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/11/03 11:06
-	32323		USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/11/03 11:17
-	706	<pre>(((pid id identi\$8 name address) near5 (process thread program routine sub\$1routine procedure function)) and ((map\$4 with (virtual logical) with (interface devices physical)) with (process thread program routine sub\$1routine procedure function))) and ((pid id identi\$8 name address) near5 map)</pre>	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/11/03
-	254	(((pid id identi\$8 name address) near5 (process thread program routine sub\$1routine procedure function)) and ((map\$4 with (virtual logical) with (interface devices physical)) with (process thread program routine sub\$1routine procedure function))) and ((pid id identi\$8 name address) near5 map)) and (713/200-202.ccls. 345/568.ccls. 711/202-203,205-208.ccls. 379/221.15.ccls. 370/397,399.ccls. 709/225,227,249,250.ccls. 718/1,100,101,106.ccls. 719/311-313.ccls. 710/36,107,109,220.ccls.)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/11/03
-	138	(password ((secret access) adj code)) near5 map	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/11/03 11:13
	1	(((((pid id identi\$8 name address) near5 (process thread program routine sub\$1routine procedure function)) and ((map\$4 with (virtual logical) with (interface devices physical)) with (process thread program routine sub\$1routine procedure function))) and ((pid id identi\$8 name address) near5 map)) and (713/200-202.ccls. 345/568.ccls. 711/202-203,205-208.ccls. 379/221.15.ccls. 370/397,399.ccls. 709/225,227,249,250.ccls. 718/1,100,101,106.ccls. 719/311-313.ccls. 710/36,107,109,220.ccls.)) and ((password ((secret access) adj code)) near5 map)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/11/03
-	6703	(password ((secret access) adj code)) near5 (map table list log record)	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/11/03 11:14

		r	,	T = = =
-	2	((password ((secret access) adj code))	USPAT;	2004/11/03
		near5 (map table list log record)) and	US-PGPUB; EPO;	11:14
		(((((pid id identi\$8 name address) near5 (process thread program routine	DERWENT;	
		sub\$1routine procedure function)) and	IBM TDB	
		((map\$4 with (virtual logical) with	15.1_155	i
		(interface devices physical)) with		
		(process thread program routine		i
		sub\$1routine procedure function))) and		
		((pid id identi\$8 name address) near5		
		map)) and (713/200-202.ccls.		
		345/568.ccls. 711/202-203,205-208.ccls.		
		379/221.15.ccls. 370/397,399.ccls.		1
		709/225,227,249,250.ccls.		
		718/1,100,101,106.ccls. 719/311-313.ccls. 710/36,107,109,220.ccls.))		
_	2087	((password ((secret access) adj code))	USPAT;	2004/11/03
	2007	near5 (map table list log record)) and	US-PGPUB;	11:15
1		((password ((secret access) adj code))	EPO;	11.13
		near5 (process thread program routine	DERWENT;	
		sub\$1routine procedure function))	IBM TDB	
-	9721	(map table list log record) with (virtual	USPAT;	2004/11/03
		logical) with (interface devices	US-PGPUB;	11:15
6		physical)	EPO;	
			DERWENT;	
			IBM_TDB	
-	2044	((map table list log record) with	USPAT;	2004/11/03
		(virtual logical) with (interface devices	US-PGPUB;	11:16
		physical)) with (process thread program	EPO;	
	1	routine sub\$1routine procedure function)	DERWENT; IBM TDB	
_	1566	((pid id identi\$8 name address) near5	USPAT;	2004/11/03
		(process thread program routine	US-PGPUB;	11:17
		sub\$1routine procedure function)) and	EPO;	-
		(((map table list log record) with	DERWENT;	
		(virtual logical) with (interface devices	IBM_TDB	
		physical)) with (process thread program		
	200741	routine sub\$1routine procedure function))		0004/11/00
-	208741	(pid id identi\$8 name address) near5 (map	USPAT;	2004/11/03
		table list log record)	US-PGPUB; EPO;	11:18
			DERWENT;	
			IBM TDB	
_	1434	(((pid id identi\$8 name address) near5	USPAT;	2004/11/03
		(process thread program routine	US-PGPUB;	11:18
		sub\$1routine procedure function)) and	EPO;	
		(((map table list log record) with	DERWENT;	
		(virtual logical) with (interface devices	IBM_TDB	
		physical)) with (process thread program		
		routine sub\$1routine procedure		
		function))) and ((pid id identi\$8 name		
		address) near5 (map table list log record))		
<u>_</u>	1211	<pre>((((pid id identi\$8 name address) near5</pre>	USPAT;	2004/11/03
	1211	(process thread program routine	US-PGPUB;	11:19
		sub\$1routine procedure function)) and	EPO;	
		(((map table list log record) with	DERWENT;	
		(virtual logical) with (interface devices	IBM_TDB	
		physical)) with (process thread program	_	
		routine sub\$1routine procedure		
		function))) and ((pid id identi\$8 name		
		address) near5 (map table list log		
	i	record))) and (pid id identi\$8 name address) near5 (access\$3 retriev\$3 read\$3		
		writ\$4)		
		······································		<u> </u>

			· · · · · · · · · · · · · · · · · · ·	
-	814	(((pid id identi\$8 name address) near5	USPAT;	2004/11/03
		(process thread program routine sub\$1routine procedure function)) and	US-PGPUB; EPO;	12:04
		(((map table list log record) with	DERWENT;	
		(virtual logical) with (interface devices	IBM TDB	
		physical)) with (process thread program		
		routine sub\$1routine procedure		
		function))) and ((pid id identi\$8 name		
		address) near5 (map table list log		
		record))) and (pid id identi\$8 name		
	!	address) near5 (access\$3 retriev\$3 read\$3 writ\$4) with (map table list log record)		
_	18	((((pid id identi\$8 name address) near5	USPAT;	2004/11/03
	"	(process thread program routine	US-PGPUB;	11:20
		sub\$1routine procedure function)) and	EPO;	
		(((map table list log record) with	DERWENT;	
		(virtual logical) with (interface devices	IBM_TDB	
		physical)) with (process thread program		
		routine sub\$1routine procedure		
		function))) and ((pid id identi\$8 name		
		address) near5 (map table list log record))) and (pid id identi\$8 name		
		address) near5 (access\$3 retriev\$3 read\$3		
		writ\$4) with (map table list log record)		
		with (password ((secret access) adj		
		code))		
-	287	(713/200-202.ccls. 345/568.ccls.	USPAT;	2004/11/03
		711/202-203,205-208.ccls.	US-PGPUB;	12:05
		379/221.15.ccls. 370/397,399.ccls.	EPO;	
		709/225,227,249,250.ccls. 718/1,100,101,106.ccls. 719/311-313.ccls.	DERWENT; IBM TDB	
		710/36,107,109,220.ccls.) and ((((pid id	TBM_TDB	
		identi\$8 name address) near5 (process		
		thread program routine sub\$1routine		
		procedure function)) and (((map table		
		list log record) with (virtual logical)		
		with (interface devices physical)) with		
		(process thread program routine		
		sub\$1routine procedure function))) and ((pid id identi\$8 name address) near5		
		(map table list log record))) and (pid id		
		identi\$8 name address) near5 (access\$3		
		retriev\$3 read\$3 writ\$4) with (map table		
		list log record))		
-	5789	713/200-202.ccls.	USPAT;	2004/11/03
			US-PGPUB;	12:21
			EPO; DERWENT;	
			IBM TDB	
_	30818	vi near3 (channel path line route	USPAT;	2004/11/03
		connect\$3)	US-PGPUB;	12:24
			EPO;	
			DERWENT;	
	_		IBM_TDB	
-	8	(vi near3 (channel path line route	USPAT;	2004/11/03
		<pre>connect\$3)) with (password ((secret access) adj code))</pre>	US-PGPUB; EPO;	12:24
		access; auj coue;;	DERWENT;	
			IBM TDB	
_	116	(virtual adj interface) near3 (channel	USPAT;	2004/11/03
		path line route connect\$3)	US-PGPUB;	12:24
			EPO;	
			DERWENT;	
	_	CCO114C Day with the control of the	IBM_TDB	2004/11/22
-	0	6601146.PN. with (password ((secret access) adj code))	USPAT; US-PGPUB;	2004/11/03 12:25
		access; auj coue;;	EPO;	14.45
			DERWENT;	
[]			IBM TDB	

-	1	((virtual adj interface) near3 (channel	USPAT;	2004/11/03
•		path line route connect\$3)) with	US-PGPUB;	12:25
		(password ((secret access) adj code))	EPO;	
			DERWENT;	
	<u> </u>		IBM TDB	
-	1	((virtual adj interface) near3 (channel	USPAT;	2004/11/03
		path line route connect\$3)) same	US-PGPUB;	12:25
		(password ((secret access) adj code))	EPO;	
		•	DERWENT;	
			IBM_TDB	
-	10	("5566302" "5617537" "5860144"	USPAT	2004/11/03
		"5867656" "5875483" "5961606"		12:58
		"6026475" "6055617" "6119214"		
		"6195107").PN.		